Publications of Jamie Scott Evans

Journal Papers

[1] V. Krishnamurthy and J. S. Evans, "Finite dimensional filters for passive tracking of Markov jump linear systems," *Automatica*, vol. 34, pp. 765–770, June 1998.

[2] J. S. Evans and D. Everitt, "Effective bandwidth based admission control for multi-service CDMA cellular networks," *IEEE Trans. Veh. Technol.*, vol. 48, pp. 36–46, Jan. 1999.

[3] J. S. Evans and D. Everitt, "On the teletraffic capacity of CDMA cellular networks," *IEEE Trans. Veh. Technol.*, vol. 48, pp. 153–165, Jan. 1999.

[4] J. S. Evans and V. Krishnamurthy, "Optimal filtering of doubly stochastic auto-regressive processes," *Automatica*, vol. 35, pp. 241–250, Feb. 1999.

[5] J. S. Evans and V. Krishnamurthy, "Exact filters for doubly stochastic AR models with conditionally Poisson observations," *IEEE Trans. Auto. Control*, vol. 44, pp. 794–798, Apr. 1999.

[6] J. S. Evans and V. Krishnamurthy, "Hidden Markov model state estimation with randomly delayed observations," *IEEE Trans. Signal Proc.*, vol. 47, pp. 2157–2166, Aug. 1999.

[7] J. S. Evans and R. J. Evans, "Image-enhanced multiple model tracking," *Automatica*, vol. 35, pp. 1769–1786, Nov. 1999.

[8] J. S. Evans and D. N. C. Tse, "Large system performance of linear multiuser receivers in multipath fading channels," *IEEE Trans. Information Theory*, vol. 46, pp. 2059–2078, Sept. 2000.

[9] J. S. Evans and V. Krishnamurthy, "Optimal sensor scheduling for hidden Markov model state estimation," *International Journal of Control*, vol. 74, pp. 1737–1742, Dec. 2001.

[10] J. S. Evans, "Optimal resource allocation for pilot symbol aided multiuser receivers in Rayleigh faded CDMA channels," *IEEE Trans. Communications*, vol. 50, pp. 1316–1325, Aug. 2002.

[11] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Large system analysis of linear multistage parallel interference cancellation," *IEEE Trans. Communications*, vol. 50, pp. 1778–1786, Nov. 2002.

[12] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Large system performance of second-order linear multistage CDMA receivers," *IEEE Trans. Wireless Communications*, vol. 2, pp. 591–600, May 2003.

[13] K. Yu, J. S. Evans, and I. B. Collings, "Performance analysis of LMMSE receivers for M-ary QAM in Rayleigh faded CDMA channels," *IEEE Trans. Veh. Technol.*, pp. 1242–1253, Sept. 2003.

[14] S. Dey and J. S. Evans, "Optimal power control over multiple time-scale fading channels with service outage constraints," *IEEE Trans. Communications*, vol. 53, pp. 708–717, Apr. 2005.

[15] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Optimal linear multistage multiuser receivers," *IEEE Trans. Wireless Communications*, vol. 4, pp. 1092–1101, May 2005.

[16] W. Chen, R. S. Tucker, X. Yi, W. Shieh, and J. S. Evans, "Optical signal-to-noise ratio monitoring using uncorrelated beat noise," *Photonics Technology Letters*, vol. 17, pp. 2484–2486, Nov. 2005.

[17] J. Papandriopoulos, J. S. Evans, and S. Dey, "Optimal power control for Rayleigh-faded multiuser systems with outage constraints," *IEEE Trans. Wireless Communications*, vol. 4, pp. 2705–2715, Nov. 2005.

[18] J. Papandriopoulos, J. S. Evans, and S. Dey, "Outage-based optimal power control for generalized multiuser fading channels," *IEEE Trans. Communications*, vol. 54, pp. 693–703, Apr. 2006.

[19] D. Aktas, M. N. Bacha, J. S. Evans, and S. V. Hanly, "Scaling results on the sum capacity of cellular networks with MIMO links," *IEEE Trans. Information Theory*, vol. 54, pp. 3264–3274, July 2006.

[20] L. Palmer, P. M. Farrell, S. D. Dods, and J. S. Evans, "Frequency-correlation analysis of PMD emulators with symmetric polarization scrambling," *IEEE Journal of Lightwave Technology*, vol. 24, pp. 3897–3906, Nov. 2006.

[21] A. Leong, S. Dey, and J. S. Evans, "Probability of error analysis for hidden Markov model filtering with random packet loss," *IEEE Trans. Signal Proc.*, vol. 55, pp. 809–821, Mar. 2007.

[22] W. Chen, F. Buchali, X. Yi, W. Shieh, J. S. Evans, and R. S. Tucker, "Chromatic dispersion and PMD mitigation at 10 gb/s using Viterbi equalization for DPSK and DQPSK modulation formats," *Optics Express*, vol. 15, pp. 5271–5276, Apr. 2007.

[23] S. Dey and J. S. Evans, "Outage capacity and optimal power allocation for multiple time-scale parallel fading channels," *IEEE Trans. Wireless Communications*, vol. 6, pp. 2369–2373, July 2007.

[24] L. Chen, B. Krongold, and J. S. Evans, "Adaptive resource allocation in OFDMA systems with fairness and QoS constraints," *European Transactions on Telecommunications*, vol. 18, pp. 549–562, 2007. (Invited Paper).

[25] A. Leong, S. Dey, and J. S. Evans, "Error exponents for Neyman-Pearson detection of Markov chains in noise," *IEEE Trans. Signal Proc.*, vol. 55, pp. 5097–5103, Oct. 2007.

[26] E. Aktas, J. S. Evans, and S. V. Hanly, "Distributed decoding in a cellular multiple-access channel," *IEEE Trans. Wireless Communications*, vol. 7, pp. 241–250, Jan. 2008.

[27] J. Li, S. Dey, and J. S. Evans, "Maximal lifetime power and rate allocation for wireless sensor systems with data distortion constraints," *IEEE Trans. Signal Proc.*, vol. 56, pp. 2076–2090, May 2008.

[28] A. Leong, S. Dey, and J. S. Evans, "On Kalman smoothing with random packet loss," *IEEE Trans. Signal Proc.*, vol. 56, pp. 3346–3351, July 2008.

[29] B. L. Ng, J. S. Evans, S. V. Hanly, and D. Aktas, "Distributed downlink beamforming with cooperative base stations," *IEEE Trans. Information Theory*, vol. 54, pp. 5491–5499, Dec. 2008.

[30] J. Papandriopoulos, S. Dey, and J. S. Evans, "Optimal and distributed protocols for cross-layer design of physical & transport layers in MANETs," *IEEE/ACM Trans. Networking*, vol. 16, pp. 1392–1405, Dec. 2008.

[31] J. Papandriopoulos and J. S. Evans, "SCALE: A low-complexity distributed protocol for spectrum balancing in multiuser DSL networks," *IEEE Trans. Information Theory*, vol. 55, pp. 3711–3724, Aug. 2009.

[32] S. Dey, A. Leong, and J. S. Evans, "Kalman filtering with faded measurements," *To appear in Automatica*.

[33] A. Leong, S. Dey, and J. S. Evans, "Power allocation for state estimation over wireless channels using multiple sensors," *Submitted to IEEE Trans. Aerospace and Electronic Systems*, Apr. 2008.

[34] M. Rezaeian, B.-N. Vo, and J. S. Evans, "The optimal observability of partially observable Markov decision processes: Discrete state space," *Submitted to IEEE Trans. Auto. Control*, Jan. 2009.

[35] S. Bhaskaran, S. Hanly, N. Badruddin, and J. S. Evans, "Maximizing the sum rate in symmetric networks of interfering links," *Submitted to IEEE Trans. Information Theory*, July 2009.

Book Chapters

[1] J. S. Evans and D. Everitt, "Infinite server traffic models for CDMA cellular mobile networks," in *Multiaccess, Mobility and Teletraffic for Personal Communications* (P. G. B. Jabbari and X. Lagrange, eds.), pp. 157–170, Kluwer Academic Publishers, 1996.

[2] J. S. Evans and R. J. Evans, "Image enhanced tracking of maneuvering targets," in *Defence Applications of Signal Processing* (W. M. D. Cochran and L. White, eds.), pp. 61–69, Elsevier, 2001.

Conference Papers

[1] J. S. Evans and D. Everitt, "Analysis of reverse link traffic capacity for cellular mobile communication networks employing code division multiple access," in *Proc. Australian Telecommunication Networks and Applications Conference, Melbourne, Australia*, pp. 775–780, Dec. 1994.

[2] D. Everitt and J. S. Evans, "Traffic variability and effective interference for CDMA cellular networks," in *Proc. ITC Specialists Seminar on Teletraffic Modelling and Measurement, Leidschendam, The Netherlands*, pp. 165–184, Nov. 1995. (Invited Paper).

[3] J. S. Evans and D. Everitt, "Effective interference: A novel approach for interference modelling and traffic analysis in CDMA cellular networks," in *Proc. IEEE Global Telecommunications Conference, Singapore*, pp. 1804–1808, Nov. 1995.

[4] J. S. Evans and D. Everitt, "Call admission control in multiple service DS-CDMA cellular networks," in *Proc. IEEE Vehicular Technology Conference, Atlanta, Georgia, USA*, pp. 227–231, Apr. 1996.

[5] V. Krishnamurthy and J. S. Evans, "Continuous and discrete time filters for Markov jump linear systems with Gaussian observations," in *Proc. IEEE Signal Processing Workshop on Statistical Signal and Array Processing, Corfu, Greece*, pp. 402–405, June 1996.

[6] J. S. Evans and V. Krishnamurthy, "Finite dimensional filters for random parameter AR models," in *Proc. American Control Conference, Albuquerque, New Mexico, USA*, pp. 2836–2840, June 1997.

[7] V. Krishnamurthy and J. S. Evans, "Filters for reconstruction of higher order moments," in *Proc. International Conference on Digital Signal Processing, Santorini, Greece*, pp. 153–156, July 1997. (Invited Paper).

[8] J. S. Evans and R. J. Evans, "State estimation for Markov switching systems with modal observations," in *Proc. IEEE Conference on Decision and Control, San Diego, California, USA*, pp. 1688–1693, Dec. 1997.

[9] J. S. Evans and V. Krishnamurthy, "Recursive nonlinear estimation of random parameter AR models with Poisson observations," in *Proc. IEEE Conference on Decision and Control, San Diego, California, USA*, pp. 5042–5047, Dec. 1997.

[10] J. S. Evans and V. Krishnamurthy, "Optimal sensor scheduling for hidden Markov models," in *Proc. International Conference on Acoustics, Speech, and Signal Processing, Seattle, Washington, USA*, pp. 2161–2164, May 1998.

[11] J. S. Evans and R. J. Evans, "A multiple model framework for image-enhanced tracking of maneuvering targets," in *Proc. American Control Conference, Philadelphia, USA*, pp. 2450–2454, June 1998.

[12] J. S. Evans and V. Krishnamurthy, "Hidden Markov model filtering over a packet switched network," in *Proc. International Conference on Communications, Atlanta, Georgia, USA*, pp. 1779–1783, June 1998.

[13] J. S. Evans and D. N. C. Tse, "Linear multiuser receivers for multipath fading channels," in *Proc. IEEE Information Theory Workshop, Kruger National Park, South Africa*, pp. 30–32, June 1999. (Invited Paper).

[14] J. S. Evans and D. N. C. Tse, "Asymptotic performance analysis of linear multiuser receivers in multipath fading channels," in *Proc. IEEE Global Telecommunications Conference, Rio de Janeiro, Brazil*, pp. 2411–2416, Dec. 1999.

[15] L. G. F. Trichard, I. B. Collings, and J. S. Evans, "Parameter selection for multiuser receivers based on iterative methods," in *Proc. IEEE Vehicular Technology Conference, Tokyo, Japan*, pp. 926–930, May 2000.

[16] J. S. Evans, "Asymptotic analysis of data-aided channel estimation algorithms for synchronous CDMA systems," in *Proc. IEEE International Symposium on Information Theory, Sorrento, Italy*, p. 441, June 2000.

[17] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Large system analysis of linear parallel interference cancellation," in *Proc. International Conference on Communications, Helsinki, Finland*, pp. 26–30, June 2001.

[18] S. Marinkovic, B. Vucetic, and J. S. Evans, "Improved iterative parallel interference cancellation for coded CDMA systems," in *Proc. IEEE International Symposium on Information Theory, Washington, D.C., USA*, p. 34, June 2001.

[19] K.-H. Yap, L. Guan, and J. S. Evans, "Blind adaptive detection for CDMA systems based on regularized independent component analysis," in *Proc. IEEE Global Telecommunications Conference, San Antonio, Texas, USA*, pp. 249–253, Nov. 2001.

[20] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Second order iterative CDMA receivers: Performance analysis and parameter optimization," in *Proc. IEEE Global Telecommunications Conference, San Antonio, Texas, USA*, pp. 748–752, Nov. 2001.

[21] K. Yu, J. S. Evans, and I. B. Collings, "Pilot symbol aided adaptive receiver for Rayleigh faded CDMA channels," in *Proc. IEEE Global Telecommunications Conference, San Antonio, Texas, USA*, pp. 753–757, Nov. 2001.

[22] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Optimal linear multistage receivers for synchronous CDMA," in *Proc. International Conference on Communications, New York City, New York, USA*, pp. 1461–1465, Apr. 2002.

[23] K. Yu, J. S. Evans, and I. B. Collings, "Performance analysis of pilot symbol aided QAM for Rayleigh fading channels," in *Proc. International Conference on Communications, New York City, New York, USA*, pp. 1731–1735, Apr. 2002.

[24] J. S. Evans, "Large system analysis of pilot symbol aided channel estimation in Rayleigh faded CDMA channels," in *Proc. International Conference on Communications, New York City, New York, USA*, pp. 1903–1907, Apr. 2002.

[25] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Optimal linear multistage receivers and the recursive large system SIR," in *Proc. IEEE International Symposium on Information Theory, Lausanne, Switzerland*, p. 21, July 2002.

[26] J. S. Evans, "Optimal resource allocation for pilot symbol aided multiuser receivers in Rayleigh faded CDMA channels," in *Proc. IEEE International Symposium on Information Theory, Lausanne, Switzerland*, p. 191, July 2002.

[27] V. Ponnampalam, J. S. Evans, and B. Vucetic, "Reduced complexity decoding algorithms for linear block codes," in *Proc. IEEE International Symposium on Information Theory, Lausanne, Switzerland*, p. 314, July 2002.

[28] K. Yu, J. S. Evans, and I. B. Collings, "Performance analysis of LMMSE receivers for M-ary QAM in Rayleigh faded CDMA channels," in *Proc. Australian Communications Theory Workshop, Melbourne, Australia*, pp. 13–18, Feb. 2003.

[29] J. Papandriopoulos, J. S. Evans, and S. Dey, "Achieving outage probability specifications through power control and multiuser detection," in *Proc. Australian Communications Theory Workshop, Melbourne, Australia*, pp. 53–60, Feb. 2003.

[30] J. Papandriopoulos, J. S. Evans, and S. Dey, "Optimal power control in CDMA networks with constraints on outage probability," in *Proc. International Symposium on Modeling and Optimization in Mobile, Ad Hoc and Wireless Networks, Sophia-Antipolis, France*, pp. 279–285, Mar. 2003.

[31] J. Papandriopoulos, J. S. Evans, and S. Dey, "Iterative power control and multiuser detection with outage probability constraints," in *Proc. International Conference on Communications, Anchorage, Alaska, USA*, pp. 2509–2513, May 2003.

[32] L. G. F. Trichard, J. S. Evans, and I. B. Collings, "Optimal linear multistage receivers with unequal power users," in *Proc. IEEE International Symposium on Information Theory, Yokohama, Japan*, p. 390, July 2003.

[33] S. Dey and J. S. Evans, "Optimal power control in wireless data networks with outage-based utility guarantees," in *Proc. IEEE Conference on Decision and Control, Maui, Hawaii, USA*, pp. 570–575, Dec. 2003.

[34] B. L. Ng, J. S. Evans, S. V. Hanly, and A. J. Grant, "Distributed linear multiuser detection in cellular networks," in *Proc. Australian Communications Theory Workshop, Newcastle, Australia*, pp. 127–132, Feb. 2004.

[35] J. Papandriopoulos, J. S. Evans, and S. Dey, "Distributed power control for cellular MIMO systems with temporal and spatial filtering," in *Proc. Australian Communications Theory Workshop, Newcastle, Australia*, pp. 164–175, Feb. 2004.

[36] N. Nguyen and J. S. Evans, "Design issues for pilot-assisted communication over Rayleigh fading channels," in *Proc. Australian Communications Theory Workshop, Newcastle, Australia*, pp. 58–65, Feb. 2004.

[37] A. Grant, S. V. Hanly, J. S. Evans, and R. Müller, "Distributed decoding for Wyner cellular systems," in *Proc. Australian Communications Theory Workshop, Newcastle, Australia*, pp. 77–81, Feb. 2004.

[38] S. Dey and J. S. Evans, "Optimal power control over multiple time-scale fading channels with service outage constraints," in *Proc. International Symposium on Modeling and Optimization in Mobile, Ad Hoc and Wireless Networks, Cambridge, UK*, pp. 254–263, Mar. 2004.

[39] B. L. Ng, J. S. Evans, S. V. Hanly, and A. J. Grant, "Information capacity of Wyner's cellular network with LMMSE receivers," in *Proc. International Conference on Communications, Paris, France*, pp. 583–587, June 2004.

[40] J. Papandriopoulos, J. S. Evans, and S. Dey, "Outage-based power control for generalized multiuser fading channels," in *Proc. International Conference on Communications, Paris, France*, pp. 327–331, June 2004.

[41] E. Aktas, J. S. Evans, and S. V. Hanly, "Distributed decoding in a cellular multiple-access channel," in *Proc. IEEE International Symposium on Information Theory, Chicago, Illinois, USA*, p. 482, June 2004.

[42] D. Aktas, M. N. Bacha, J. S. Evans, and S. V. Hanly, "On the sum capacity of multiuser MIMO channels," in *Proc. International Symposium on Information Theory and its Applications, Parma, Italy*, pp. 1013–1018, Oct. 2004.

[43] B. L. Ng, J. S. Evans, and S. V. Hanly, "Distributed linear multiuser detection in cellular networks based on Kalman smoothing," in *Proc. IEEE Global Telecommunications Conference, Dallas, Texas, USA*, pp. 134–138, Nov. 2004.

[44] W. Chen, R. S. Tucker, J. S. Evans, and W. Shieh, "Optical signal-to-noise ratio monitoring using uncorrelated signal-spontaneous beat noise," in *Proc. Australian Telecommunication Networks and Applications Conference, Sydney, Australia*, pp. 150–155, Dec. 2004.

[45] J. S. Evans, "MMSE estimators for cellular networks with cooperating base stations," in *Proc. Australian Communications Theory Workshop, Brisbane, Australia*, pp. 246–251, Feb. 2005.

[46] A. Leong, J. S. Evans, and S. Dey, "Power control and multiuser diversity in multiple access channels with two time scale fading," in *Proc. International Symposium on Modeling and Optimization in Mobile, Ad Hoc and Wireless Networks, Riva del Garda, Trentino, Italy*, pp. 86–95, Apr. 2005.

[47] B. L. Ng, J. S. Evans, S. V. Hanly, and D. Aktas, "Transmit beamforming with cooperative base stations," in *Proc. IEEE International Symposium on Information Theory, Adelaide, Australia*, pp. 1431–1435, Sept. 2005.

[48] W. Chen, R. S. Tucker, X. Yi, W. Shieh, and J. S. Evans, "Uncorrelated beat noise measurement for optical signal-to-noise ratio monitoring," in *Proc. European Conference on Optical Communications, Glasgow, Scotland*, pp. 731–732, Sept. 2005.

[49] M. N. Bacha, J. S. Evans, and S. V. Hanly, "On the capacity of MIMO cellular networks with macrodiversity," in *Proc. Australian Communications Theory Workshop, Perth, Australia*, pp. 103–107, Feb. 2006.

[50] L. Chen, B. Krongold, and J. S. Evans, "An adaptive resource allocation algorithm for multiuser OFDM," in *Proc. Australian Communications Theory Workshop, Perth, Australia*, pp. 141–145, Feb. 2006.

[51] S. Dey and J. S. Evans, "Outage capacity and optimal power allocation for multiple time-scale parallel fading channels," in *Proc. European Wireless Conference, Athens, Greece*, pp. 1–5, Apr. 2006.

[52] L. Chen, B. Krongold, and J. S. Evans, "A computationally efficient adaptive resource allocation algorithm for multiuser OFDM," in *Proc. European Wireless Conference, Athens, Greece*, pp. 1–6, Apr. 2006. (Winner of Best Paper Award).

[53] E. Aktas, J. S. Evans, and S. V. Hanly, "Distributed base station processing in the uplink of cellular networks," in *Proc. International Conference on Communications, Istanbul, Turkey*, pp. 1641–1646, June 2006.

[54] M. N. Bacha, J. S. Evans, and S. V. Hanly, "On the capacity of cellular networks with MIMO links," in *Proc. International Conference on Communications, Istanbul, Turkey*, pp. 1337–1342, June 2006.

[55] J. Papandriopoulos, S. Dey, and J. S. Evans, "Distributed cross-layer optimization of MANETs in composite fading," in *Proc. International Conference on Communications, Istanbul, Turkey*, pp. 3270–3275, June 2006.

[56] J. Papandriopoulos and J. S. Evans, "Low-complexity distributed algorithms for spectrum balancing in multi-user DSL networks," in *Proc. International Conference on Communications, Istanbul, Turkey*, pp. 3879–3884, June 2006. (Winner of Best Paper Award in Signal Processing for Communications Symposium).

[57] W. Chen, F. Buchali, X. Yi, W. Shieh, J. S. Evans, and R. S. Tucker, "PMD mitigation at 10 Gbp/susing Viterbi equalizer for DPSK and DQPSK modulation formats," in *Proc. Australian Conference on Optical Fibre Technology, Melbourne, Australia*, pp. 10–12, July 2006.

[58] W. Chen, F. Buchali, X. Yi, W. Shieh, J. S. Evans, and R. S. Tucker, "Viterbi equalizer for chromatic dispersion and PMD mitigation in DPSK and DQPSK systems at 10 Gb/s," in *Proc. European Conference on Optical Communications, Cannes, France*, Sept. 2006.

[59] B. L. Ng, J. S. Evans, S. V. Hanly, and A. J. Grant, "Exploiting macro-diversity in cellular networks using the sum-product algorithm," in *Proc. Australian Communications Theory Workshop, Adelaide, Australia*, pp. 97–103, Feb. 2007.

[60] A. Leong, S. Dey, and J. S. Evans, "Error exponents for Neyman-Pearson detection of Markov chains in noise," in *Proc. Information, Decision and Control, Adelaide, Australia*, pp. 94–99, Feb. 2007.

[61] B. L. Ng, J. S. Evans, and S. V. Hanly, "On the capacity of cellular networks with global LMMSE receiver," in *Proc. International Conference on Communications, Glasgow, United Kingdom*, pp. 870–876, June 2007.

[62] J. Li, S. Dey, and J. S. Evans, "Maximal lifetime rate and power allocation for sensor networks with data distortion constraints," in *Proc. International Conference on Communications, Glasgow, United Kingdom*, pp. 3678–3685, June 2007.

[63] B. L. Ng, J. S. Evans, and S. V. Hanly, "Distributed downlink beamforming in cellular networks," in *Proc. IEEE International Symposium on Information Theory, Nice, France*, pp. 6–10, June 2007.

[64] J. Papandriopoulos and J. S. Evans, "Band preference design algorithms for improved iterative water-filling," in *Proc. IEEE Global Telecommunications Conference, Washington, D.C., USA*, pp. 2899–2903, Nov. 2007.

[65] N. Badruddin, J. S. Evans, and S. Hanly, "Maximising sum rate for two interfering wireless links," in *Proc. Australian Communications Theory Workshop, Christchurch, New Zealand*, pp. 75–81, Jan. 2008.

[66] F. Li and J. S. Evans, "Design of distributed detection schemes for multiaccess channels," in *Proc. Australian Communications Theory Workshop, Christchurch, New Zealand*, pp. 51–57, Jan. 2008.

[67] F. Li and J. S. Evans, "Optimal strategies for distributed detection over multiaccess channels," in *Proc. International Conference on Acoustics, Speech, and Signal Processing, Las Vegas, Nevada, USA*, pp. 2417–2420, Mar. 2008.

[68] C. R. N. Athaudage, M. Saito, and J. S. Evans, "Performance analysis of dual-hop OFDM relay systems with subcarrier mapping," in *Proc. International Conference on Communications, Beijing, China*, pp. 4419–4423, May 2008.

[69] C. R. N. Athaudage, M. Saito, and J. S. Evans, "Capacity of OFDM systems with CFO in Nakagami-m fading channels: The role of channel frequency selectivity," in *Proc. IEEE International Symposium on Personal, Indoor and Mobile Radio Communications, Cannes, France*, pp. 1–4, Sept. 2008.

[70] N. Badruddin, S. Bhaskaran, J. S. Evans, and S. Hanly, "Maximizing the sum rate in symmetric networks of interfering links under flat power constraints," in *Proc. Annual Allerton Conference on Communication, Control, and Computing, Monticello, Illinois, USA*, pp. 46–53, Sept. 2008.

[71] S. Dey, A. Leong, and J. S. Evans, "On Kalman filtering with faded measurements," in *Proc. Annual Allerton Conference on Communication, Control, and Computing, Monticello, Illinois, USA*, pp. 607–614, Sept. 2008.

[72] F. Li and J. S. Evans, "Decision fusion over noncoherent fading multiaccess channels," in *Proc. IEEE Global Telecommunications Conference, New Orleans, Louisiana, USA*, pp. 1–5, Nov. 2008.

[73] V. K. Nguyen and J. S. Evans, "Multiuser transmit beamforming via regularized channel inversion: A large system analysis," in *Proc. IEEE Global Telecommunications Conference, New Orleans, Louisiana, USA*, pp. 1–4, Nov. 2008.

[74] M. Saito, C. R. N. Athaudage, and J. S. Evans, "On power allocation for dual-hop amplify-and-forward OFDM relay systems," in *Proc. IEEE Global Telecommunications Conference, New Orleans, Louisiana, USA*, pp. 1–6, Nov. 2008.

[75] A. Leong, S. Dey, and J. S. Evans, "Power efficient state estimation using multiple sensors," in *Proc. International Symposium on Information Theory and its Applications, Auckland, New Zealand*, pp. 924–929, Dec. 2008.

[76] H. Deng, M. Kuijper, and J. S. Evans, "An improved upperbound for (n,k,m) systematic convolutional codes in burst erasure channels," in *Proc. Australian Communications Theory Workshop, Sydney, Australia*, pp. 33–37, Feb. 2009.

[77] S. Bhaskaran, S. Hanly, N. Badruddin, and J. S. Evans, "Maximizing the sum rate in symmetric networks of interfering links," in *Proc. Information Theory and Applications Workshop, San Diego, California, USA*, pp. 130–137, Feb. 2009.

[78] S. Bhaskaran, S. Hanly, N. Badruddin, and J. S. Evans, "Maximizing the sum rate in symmetric networks of interfering links," in *Proc. International Conference on Communications, Dresden, Germany*, pp. 1–6, June 2009.

[79] H. Deng, M. Kuijper, and J. S. Evans, "Burst erasure correction capabilities of (n,n-1) convolutional codes," in *Proc. International Conference on Communications, Dresden, Germany*, pp. 1–5, June 2009.

[80] L. Chen, B. Krongold, and J. S. Evans, "Performance evaluation of optical OFDM systems with nonlinear clipping distortion," in *Proc. International Conference on Communications, Desden, Germany*, pp. 1–5, June 2009.

[81] L. Chen, B. Krongold, and J. S. Evans, "Diversity combining for asymmetrically clipped optical OFDM in IM/DD channels," in *Proc. IEEE Global Telecommunications Conference, Honolulu, Hawaii, USA*, Nov. 2009.

[82] F. Li and J. S. Evans, "A distributed hybrid filter for target tracking in sensor networks," in *Proc. IEEE Conference on Decision and Control, Shanghai, China*, Dec. 2009.